L Number	Hits	Search Text	DB	Time stamp
3	2	("6233601").PN.	USPAT;	2003/11/13 18:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
4	2	("6460050").PN.	USPAT;	2003/11/13 18:55
•	_	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	4	("4321703").PN.	USPAT;	2003/11/13 18:56
	_	,, ,	US-PGPUB;	
			EPO; JPO;	
	ļ		DERWENT;	ł I
			IBM_TDB	
9	2	("6460050").PN.	USPĀT;	2003/11/13 19:16
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
10	0	(709/(201,221)).ccls. and ((circulation adj	USPAT;	2003/11/13 19:23
·		list)) and @ad<20001027	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
11	0	709/221 and (client\$1! near4 (partion\$3 or	USPAT;	2003/11/13 19:27
		divid\$3) near4 (group\$1! or subgroup\$1!))	US-PGPUB;	
		and @ad<20000127	EPO; JPO;	
!			DERWENT;	
			IBM_TDB	
12	o l	("709"(221,223,224)).ccls. and (client\$1!	USPAT;	2003/11/13 19:27
		near4 (partion\$3 or divid\$3) near4 (group\$1!	US-PGPUB;	
		or subgroup\$1!)) and @ad<20000127	EPO; JPO;	
			DERWENT;	
			IBM_TDB	İ
13	526	(collect\$4 with distribut\$4) and	USPAT;	2003/11/13 19:29
		(709/203,223,224,221).ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	15	((collect\$4 with distribut\$4) and	USPAT;	2003/11/13 19:29
1		(709/203,223,224,221).ccls.) and	US-PGPUB;	
		(@ad<20000127) and (circulat\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	374	(collect\$4 with distribut\$4) and 709/203	USPAT;	2003/11/13 19:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	HITTONIA MATOUT 4-	IBM_TDB	2002/11/04 16:54
-	4	UJIGAWA-TAICHI.in.	USPAT;	2003/11/04 16:54
	ļ ł		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-		HAVACHT VAMOUNT :-	IBM_TDB	2002/11/04 16-55
-	4	HAYASHI-KATZUMI.in.	USPAT;	2003/11/04 16:55
			US-PGPUB;	
į			EPO; JPO;	
			DERWENT;	
		VIMIDA_MACAVA in	IBM_TDB USPAT;	2003/11/04 16:56
-	28	KIMURA-MASAYA.in.	US-PGPUB;	2003/11/04 10:36
1				
			EPO; JPO;	
			DERWENT;	
İ		ODA VACHUAKA :-	IBM_TDB	2002/11/04 16:56
-	11	ODA-YASUTAKA.in.	USPAT;	2003/11/04 16:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	l

-	374	709/203 and (collect\$4 with distribut\$4)	USPAT; US-PGPUB;	2003/11/05 09:26
			EPO; JPO; DERWENT; IBM TDB	
_	0	(709/203 and (collect\$4 with distribut\$4))	USPAT;	2003/11/05 08:56
		and (relay adj client\$1!)	US-PGPUB; EPO; JPO;	
			DERWENT;	
	68	(709/203 and (collect\$4 with distribut\$4))	IBM_TDB USPAT;	2003/11/05 08:56
		and (relay\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	48	((709/203 and (collect\$4 with distribut\$4))	IBM_TDB USPAT;	2003/11/05 08:56
_	10	and (relay\$3)) and @ad<20000126	US-PGPUB;	
			EPO; JPO; DERWENT;	
		700/202 and (gallogted with distributed) with	IBM_TDB USPAT;	2003/11/05 09:26
-		709/203 and (collect\$4 with distribut\$4) with cirlulat\$3	US-PGPUB;	2003/11/03 09.20
			EPO; JPO; DERWENT;	
		goo (goo and (goll) areas with distributes (suith	IBM_TDB	2003/11/05 09:27
-	1	709/203 and (collect\$4 with distribut\$4) with circulat\$3	USPAT; US-PGPUB;	2003/11/05 09:27
			EPO; JPO; DERWENT;	
			IBM_TDB	2002/11/05 10 57
-	2	709/203 and (collect\$4 with distribut\$4) same circulat\$3	USPAT; US-PGPUB;	2003/11/05 10:57
			EPO; JPO; DERWENT;	
			IBM_TDB	2002/11/05 10 50
-	0	(collect\$4 with distribut\$4) same circulat\$3 same address\$2! with (plurality	USPAT; US-PGPUB;	2003/11/05 10:58
•		or number) near2 (client\$1! or recipient\$1!)	EPO; JPO; DERWENT;	
			IBM_TDB	2002/11/05 10 50
-	0	(collect\$4 with distribut\$4) and circulat\$3 same address\$2! with (plurality or number)	USPAT; US-PGPUB;	2003/11/05 10:59
		near2 (client\$1! or recipient\$1!)	EPO; JPO; DERWENT;	
			IBM TDB	2002/11/05 11 40
-	1	circulat\$3 same address\$2! with (plurality or number) near2 (client\$1! or recipient\$1!)	USPAT; US-PGPUB;	2003/11/05 11:49
			EPO; JPO; DERWENT;	
			IBM_TDB	2002/11/05 11 45
_		"3890471".PN. circulat\$3 with ((final or last) adj	USPAT;	2003/11/05 11:45 2003/11/05 12:13
		(client\$1! or recipient\$1! or subscriber\$1!))	US-PGPUB; EPO; JPO;	
		3333333333333	DERWENT;	
-	4	(circulat\$3 adj (client\$1! or recipient\$1!	IBM_TDB USPAT;	2003/11/05 12:16
		or subscriber\$1!)) with order\$3 and @ad<20000126	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	6026	(circulat\$3 near3 (list or order\$3)) and	IBM_TDB USPAT;	2003/11/05 12:17
		@ad<20000126	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	872	 (circulat\$3 adj (list or order\$3)) and	IBM_TDB USPAT;	2003/11/05 12:18
		@ad<20000126	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	2	((circulat\$3 adj (list or order\$3)) and @ad<20000126) and 709/203	USPAT; US-PGPUB;	2003/11/05 12:17
			EPO; JPO; DERWENT;	
_	36	(circulation adj list) and @ad<20000126	IBM_TDB USPAT;	2003/11/05 15:49
		3	US-PGPUB; EPO; JPO;	, ,
			DERWENT;	
_	0	JP-6216934-\$.did.	IBM_TDB USPAT;	2003/11/05 12:27
		01 0210934 Q.did.	US-PGPUB;	2003, 11, 03 12.27
			EPO; JPO; DERWENT;	
	2	JP-06216934-\$.did.	<pre>IBM_TDB USPAT;</pre>	2003/11/05 12:27
_	2	0F-00210934-9.QIQ.	US-PGPUB;	2003/11/03 12.2/
			EPO; JPO; DERWENT;	
		/ 22 bi i b	IBM_TDB	2002/11/05 15:50
-	0	(collection with distribution same circulat\$4 and @ad<20000126) and 709/103	USPAT; US-PGPUB;	2003/11/05 15:50
	,		EPO; JPO; DERWENT;	
			IBM_TDB	2222/11/25 15 52
-	0	(collection with distribution same circulat\$4 and @ad<20000126) and 709/203	USPAT; US-PGPUB;	2003/11/05 15:50
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	140	collection with distribution same circulat\$4 and @ad<20000126	USPAT; US-PGPUB;	2003/11/05 15:51
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	55	circulat\$4 adj management and @ad<20000126	USPAT; US-PGPUB;	2003/11/05 16:24
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	65959	yamazaki.in.	USPAT; US-PGPUB;	2003/11/05 16:27
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	1177	yamazaki.in. and circulat\$4	USPAT; US-PGPUB;	2003/11/05 16:25
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	yamazaki.in. and circulat\$4 adj list	USPAT; US-PGPUB;	2003/11/05 16:25
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	915	yamazaki.in. and circulat\$4 and @ad<20000126	USPAT; US-PGPUB;	2003/11/05 16:26
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	0	709/203 and (yamazaki.in. and circulat\$4 and @ad<20000126)	USPAT; US-PGPUB;	2003/11/05 16:26
		,	EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	709/\$ and (yamazaki.in. and circulat\$4 and @ad<20000126)	USPAT; US-PGPUB;	2003/11/05 16:26
		,	EPO; JPO;	
			DERWENT; IBM_TDB	

-	1	707/\$ and (yamazaki.in. and circulat\$4 and @ad<20000126)	USPAT; US-PGPUB; EPO; JPO;	2003/11/05 16:26
			DERWENT; IBM TDB	
-	42	yamazaki-hirohiko.in.	USPAT; US-PGPUB;	2003/11/05 16:30
			EPO; JPO; DERWENT; IBM TDB	
-	218	collection with distribution with system.ti.	USPAT; US-PGPUB; EPO; JPO;	2003/11/05 16:30
			DERWENT; IBM_TDB	
-	6	(collection with distribution with system.ti.) and circulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/05 16:32
			IBM_TDB	
-	23	(client\$1! or recipient\$1!) adj3 (relay\$3 or communicat\$3 or transmit\$4 or transfer\$4) with ((communication or information or	USPAT; US-PGPUB; EPO; JPO;	2003/11/05 16:35
		data) adj block\$1!) with server\$1!	DERWENT; IBM_TDB	2002/11/05 16.20
-	9	((client\$1! or recipient\$1!) adj3 (relay\$3 or communicat\$3 or transmit\$4 or transfer\$4) with ((communication or information or	USPAT; US-PGPUB; EPO; JPO;	2003/11/05 16:39
		data) adj block\$1!) with server\$1!) and @ad<20000126	DERWENT; IBM_TDB	
-	392	client\$1! near4 relay\$3 and @ad<20000126	USPAT; US-PGPUB; EPO; JPO;	2003/11/05 16:40
			DERWENT;	
_	6	(client\$1! near4 relay\$3 and @ad<20000126) and circulat\$5	IBM_TDB USPAT; US-PGPUB;	2003/11/05 16:58
			EPO; JPO; DERWENT;	
-	1358	(distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126	IBM_TDB USPAT; US-PGPUB;	2003/11/05 16:59
			EPO; JPO; DERWENT; IBM TDB	
-	68	709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126	USPAT; US-PGPUB;	2003/11/05 17:01
			EPO; JPO; DERWENT; IBM TDB	
-	0	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4 with (retransmit\$4 or retransmit\$4))	USPAT; US-PGPUB; EPO; JPO;	2003/11/05 17:01
j	;	(Teclansmic34 of Teclansmic34)	DERWENT; IBM TDB	
-	47	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4 sameh	USPAT; US-PGPUB;	2003/11/05 17:02
		(retransmit\$4 or re-transmit\$4))	EPO; JPO; DERWENT; IBM TDB	
_	0	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4 same	USPAT; US-PGPUB;	2003/11/05 17:02
		(retransmit\$4 or re-transmit\$4))	EPO; JPO; DERWENT; IBM TDB	
-	46	(709/203 and (distribut\$5 or circulat\$5) adj manag\$5 and @ad<20000126) and (fail\$4)	USPĀT; US-PGPUB;	2003/11/05 17:02
			EPO; JPO; DERWENT; IBM TDB	

-	20254	circulation near3 system and @ad<20001027	USPAT; US-PGPUB; EPO; JPO;	2003/11/11 14:03
			DERWENT; IBM_TDB	
-	14	next adj3 (circulation adj destination)	USPAT; US-PGPUB; EPO; JPO;	2003/11/11 14:05
			DERWENT; IBM_TDB	
-	9	(next adj3 (circulation adj destination)) and @ad<20000127	USPAT; US-PGPUB; EPO; JPO;	2003/11/11 15:35
	1.5	(waterweit) as transmit(A) add2 (gingulation	DERWENT; IBM_TDB USPAT;	2003/11/11 15:47
_	17	(return\$3 or transmit\$4) adj3 (circulation or (communication\$1! adj block)) adj3 (first or origin\$5 or relay) and @ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	2003/11/11 15:47
_	1	(circulat or relay\$3) adj3 (communication\$1!	IBM_TDB USPAT;	2003/11/11 15:48
	_	adj block) and @ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	
_	3611	(circulat or relay\$3) with (first or	IBM_TDB USPAT;	2003/11/11 15:50
		origin\$3 or begin\$4) with (last or final or end) and @ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	
-	34	(circulat or relay\$3) with (first or origin\$3 or begin\$4) with (last or final or	IBM_TDB USPAT; US-PGPUB;	2003/11/11 15:54
		end) with address\$2 and @ad<20000127	EPO; JPO; DERWENT; IBM TDB	
-	25	(circulat\$5) with (first or origin\$3 or begin\$4) with (last or final or end) with address\$2 and @ad<20000127	USPAT; US-PGPUB; EPO; JPO;	2003/11/11 16:04
_	309		DERWENT; IBM_TDB USPAT;	2003/11/11 16:06
		begin\$4) with (last or final or end) with (order or sequence) and @ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	
-	0		IBM_TDB USPAT; US-PGPUB;	2003/11/11 16:07
		begin\$4) with (last or final or end) with (order or sequence) and @ad<20000127) and 709/\$	EPO; JPO; DERWENT;	
-	0	709/203 and (circulat\$3 near5 (order42 or sequence))	IBM_TDB USPAT; US-PGPUB;	2003/11/11 16:08
			EPO; JPO; DERWENT; IBM_TDB	
-	1471	(circulat\$3 near5 (order42 or sequence))	USPAT; US-PGPUB; EPO; JPO;	2003/11/11 16:08
_	772	(circulat\$3 adj5 (order42 or sequence))	DERWENT; IBM_TDB USPAT;	2003/11/11 16:08
			US-PGPUB; EPO; JPO; DERWENT;	
-	o	1 (IBM_TDB USPAT;	2003/11/11 16:09
		same (final adj client)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
I	I			

-	0	(circulat\$3 adj5 (order\$2 or sequence)) same (final adj client)	USPAT; US-PGPUB;	2003/11/11 16:09
			EPO; JPO; DERWENT; IBM TDB	
-	6294	(circulat\$3 adj5 (order\$2 or sequence))	USPAT;	2003/11/11 16:09
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	0	(circulat\$3 adj5 (order\$2 or sequence)) same (final or last) adj (client or	USPAT; US-PGPUB;	2003/11/11 16:10
		subscriber or user or process)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	(circulat\$3 adj5 (order\$2 or sequence)) same (final or last) adj3 (client or	USPAT; US-PGPUB;	2003/11/11 16:11
		subscriber or user or process)	EPO; JPO; DERWENT;	
		distribut\$3 with (last or final or end) with	IBM_TDB USPAT;	2003/11/11 16:11
		circulation adj list	US-PGPUB;	2003/11/11 10:11
			EPO; JPO; DERWENT;	
-	0	distribut\$3 same(last or final or end) with	<pre>IBM_TDB USPAT;</pre>	2003/11/11 16:12
		circulation adj list	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	1	(last or final or end) with circulation adj	USPAT; US-PGPUB;	2003/11/11 16:16
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	1	(last or final or end) adj3 circulation adj3 (client or transmit\$4 or destination or	USPAT; US-PGPUB;	2003/11/11 16:22
		address)	EPO; JPO; DERWENT;	
_	5	(last or final or end) adj7 circulation adj6	IBM_TDB USPAT;	2003/11/11 16:26
		(client or transmit\$4 or destination or address)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	1	(last or final or end) with (circulation adj	USPAT;	2003/11/11 16:27
		list)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	787	YOSHIDA-KEIICHI.in. or	USPAT; US-PGPUB;	2003/11/11 16:28
		MAEDA-MITSUHIDE.in. or	EPO; JPO; DERWENT;	
_	2220	NISHIMURA-OSAMU.in. (YOSHIDA-KEIICHI.in. or	IBM_TDB USPAT;	2003/11/11 16:28
		MAEDA-MITSUHIDE.in. or	US-PGPUB; EPO; JPO;	
		NISHIMURA-OSAMU.in.) snd (circution adj	DERWENT; IBM TDB	
		list)	_	2002/11/11 16 22
-	0	(YOSHIDA-KEIICHI.in. or	USPAT; US-PGPUB;	2003/11/11 16:29
		MAEDA-MITSUHIDE.in. or	EPO; JPO; DERWENT;	
-	17	NISHIMURA-OSAMU.in.) and (circution) (YOSHIDA-KEIICHI.in. or	IBM_TDB USPAT;	2003/11/11 16:30
		MAEDA-MITSUHIDE.in. or	US-PGPUB; EPO; JPO;	
		NISHIMURA-OSAMU.in.) and (circulat\$4)	DERWENT; IBM TDB	

		(VOCUTES VESTOUT :	tropam.	2003/11/11 16:30
-	1	(YOSHIDĀ-KĒTĪCHI.in. or	USPAT; US-PGPUB;	2003/11/11 16:30
		MAEDA-MITSUHIDE.in. or	EPO; JPO;	
		 NISHIMURA-OSAMU.in.) and (circulation adj	DERWENT; IBM TDB	
1		list)	15155	
-	1	(circulation adj list) and 709/203	USPAT;	2003/11/11 16:46
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	0	(circulation adj list) with (client\$1!	<pre>IBM_TDB USPAT;</pre>	2003/11/11 16:47
-		near3 address\$2)	US-PGPUB;	2003/11/11 10:47
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(circulation adj list) with (client\$1! with	USPAT;	2003/11/11 16:47
		address\$2)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	44	(circulation adj list)	USPAT; US-PGPUB;	2003/11/11 16:47
			EPO; JPO;	
			DERWENT;	
_	36	((circulation adj list)) and @ad<20001027	IBM_TDB USPAT;	2003/11/13 19:22
			US-PGPUB;	
		·	EPO; JPO; DERWENT;	
			IBM_TDB	
-	0		USPAT;	2003/11/11 17:00
		@ad<20001027	US-PGPUB; EPO; JPO;	
			DERWENT;	
	3027	distribution with circulation and	IBM_TDB USPAT;	2003/11/11 17:00
_	3027	@ad<20001027	US-PGPUB;	2003/11/11 17:00
			EPO; JPO;	
			DERWENT; IBM TDB	
-	1	(distribution with circulation and	USPAT;	2003/11/11 17:01
ļ		@ad<20001027) and 709/101	US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM_TDB	0000/11/11 1- 1-
-	5537976	circulat\$3 near4 list (first or origin\$3 or begin\$4 or loop\$3)	USPAT; US-PGPUB;	2003/11/11 17:19
			EPO; JPO;	
			DERWENT;	
_	23	circulat\$3 near4 list with (first or	IBM_TDB USPAT;	2003/11/11 17:19
		origin\$3 or begin\$4 or loop\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	20	(circulat\$3 near4 list with (first or	USPAT;	2003/11/11 17:19
		origin\$3 or begin\$4 or loop\$3)) and @ad<20001027	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	A	(mobile adj agent) same itinerary and	IBM_TDB USPAT;	2003/11/12 19:13
		@ad<20000127	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	7	(ring or token) same (next adj client) and	USPAT;	2003/11/13 11:33
		@ad<20000127	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	13	server adj4 (transmit\$4 or transfer\$4) adj3 addresses adj3 client\$1! and @ad<20000127	USPAT; US-PGPUB;	2003/11/13 09:35
			EPO; JPO; DERWENT; IBM TDB	
-	56	server adj4 (transmit\$4 or transfer\$4) with addresses adj3 client\$1! and @ad<20000127	USPAT; US-PGPUB;	2003/11/13 09:54
		adazossos aujo orrenogri ana oau zovovezi	EPO; JPO; DERWENT;	
_	28	· · · · · · · · · · · · · · · · · · ·	IBM_TDB USPAT;	2003/11/13 10:17
		@ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	
-	0	client\$1! near3 communicat\$4 near2 (each adj	IBM_TDB USPAT;	2003/11/13 10:17
		other) and @ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	
-	0	client\$1! near3 communicat\$4 near5 (each adj	IBM_TDB USPAT;	2003/11/13 10:17
		other) and @ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	
_	0	client\$1! near5 communicat\$4 near5 (each adj	IBM_TDB USPAT;	2003/11/13 10:18
		other) and @ad<20000127	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	3	server adj transmit\$3 adj2 addresses adj3 clients and @ad<20000127	USPAT; US-PGPUB;	2003/11/13 10:22
			EPO; JPO; DERWENT;	
-	51	client adj3 relay\$3 adj4 server and	IBM_TDB USPAT;	2003/11/13 10:59
		@ad<20000127	US-PGPUB; EPO; JPO; DERWENT;	
_	2	Jun.in. and gamevil.as.	IBM_TDB USPAT;	2003/11/13 10:37
		-	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	163	client\$1! adj3 (mov\$3 or circulat\$3 or migrat\$3) with server and @ad<20000127	USPAT; US-PGPUB;	2003/11/13 11:02
			EPO; JPO; DERWENT; IBM TDB	
-	8	client\$1! adj3 (circulat\$3) with server and @ad<20000127	USPAT; US-PGPUB;	2003/11/13 11:03
			EPO; JPO; DERWENT;	
-	1	(ring or token) with circulat\$5 and (next	IBM_TDB USPAT;	2003/11/13 12:18
		adj client) and @ad<20000127	US-PGPUB; EPO; JPO;	
_	73	(token adj ring) near4 circulat\$5 and	DERWENT; IBM_TDB USPAT;	2003/11/13 12:19
	/3	@ad<20000127	US-PGPUB; EPO; JPO;	2003/11/13 12:19
			DERWENT; IBM TDB	
-	0	(token adj ring) near4 circulat\$5 with (serial\$2 near3 order) and @ad<20000127	USPAT; US-PGPUB;	2003/11/13 12:20
			EPO; JPO; DERWENT;	
	<u> </u>		IBM_TDB	

-	0	(token adj ring) near4 circulat\$5 with	USPAT;	2003/11/13 12:20
		(serial\$2) and @ad<20000127	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(token adj ring) near4 circulat\$5 with	USPAT;	2003/11/13 13:33
		(sequence or order) and @ad<20000127	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
l _	1	server near3 fail\$3 near4 retransmit\$4 and	USPAT;	2003/11/13 13:34
	_	@ad<20000127	US-PGPUB;	
	ļ		EPO; JPO;	
			DERWENT;	ĺ
			IBM_TDB	
-	3	,	USPAT;	2003/11/13 13:35
		@ad<20000127	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	143	(re-transmit\$4 or retransmit\$4) near4	USPAT;	2003/11/13 13:37
·		client and @ad<20000127	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	QF.	((re-transmit\$4 or retransmit\$4) near4	IBM_TDB USPAT;	2003/11/13 13:35
-	95	client and @ad<20000127) and (circulat\$4 or	US-PGPUB;	2003/11/13 13:33
		distribut\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(re-transmit\$4 or retransmit\$4) near4	USPAT;	2003/11/13 13:37
		((fail\$3 or inoperative) adj client\$1!) and @ad<20000127	US-PGPUB; EPO; JPO;	
		Wad<20000127	DERWENT;	
			IBM TDB	
-	0	(re-transmit\$4 or retransmit\$4) near4	USPAT;	2003/11/13 13:37
	1	((fail\$3 or inoperative) adj2 client\$1!) and	US-PGPUB;	
		@ad<20000127	EPO; JPO;	
	1		DERWENT;	
_	3	(re-transmit\$4 or retransmit\$4) near6	USPAT;	2003/11/13 14:30
		((fail\$3 or inoperative) near4 client\$1!)	US-PGPUB;	
		and @ad<20000127	EPO; JPO;	
			DERWENT;	
		()	IBM_TDB	2002/11/12 14 20
-	1	<pre>(re-transmit\$4 or retransmit\$4) with ((fail\$3 or inoperative) adj client\$1!) and</pre>	USPAT; US-PGPUB;	2003/11/13 14:30
		((lall\$3 of Inoperative) adj cirent\$1:) and @ad<20000127	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	4	(re-transmit\$4 or retransmit\$4) with	USPAT;	2003/11/13 14:39
		((fail\$3 or inoperative) near3 client\$1!)	US-PGPUB; EPO; JPO;	
1		and @ad<20000127	DERWENT;	
1			IBM TDB	
-	9	(re-transmit\$4 or retransmit\$4) with	USPAT;	2003/11/13 14:52
		((fail\$3 or inoperative) with client\$1!) and	US-PGPUB;	
		@ad<20000127	EPO; JPO;	
			DERWENT;	
1_	7	(re-transmit\$4 or retransmit\$4) with	<pre>IBM_TDB USPAT;</pre>	2003/11/13 16:53
_	'	((fail\$3 or stop) with distribution) and	US-PGPUB;	2003, 11, 13 10.33
1		@ad<20000127	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	0000/15/50 55 5
_	0	((next adj client) with fail\$3 with notif\$5)	USPAT;	2003/11/13 16:53
1		and @ad<20000127	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
		·		

-	0	((next adj client) same fail\$3 with notif\$5)	USPAT;	2003/11/13 16:54
	1	and @ad<20000127	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	((next adj client)and fail\$3 with notif\$5)	USPAT;	2003/11/13 17:13
		and @ad<20000127	US-PGPUB;	
	 		EPO; JPO;	·
	i		DERWENT;	
			IBM TDB	
_	13	(client\$1! near4 (partion\$3 or divid\$3)	USPĀT;	2003/11/13 19:25
		near4 (group\$1! or subgroup\$1!)) and	US-PGPUB;	
		@ad<20000127	EPO; JPO;	l i
			DERWENT;	
			IBM_TDB	